MSFC-LAIG-Abstract

Abstract UID...Now That's Gonna Leave A Mark

Since 1975 bar codes on products at the retail counter have been accepted as the standard for entering product identity for price determination. Since the beginning of the 21st century, the Data Matrix symbol has become accepted as the bar code format that is marked directly on a part, assembly or product that is durable enough to identify that item for its lifetime. NASA began the studies for direct part marking Data Matrix symbols on parts during the Return to Flight activities after the Challenger Accident. Over the 20 year period that has elapsed since Challenger, a mountain of studies, analyses and focused problem solutions developed by and for NASA have brought about world changing results. NASA Technical Standard 6002 and NASA Handbook 6003 for Direct Part Marking Data Matrix Symbols on Aerospace Parts have formed the basis for most other standards on part marking internationally. NASA and its commercial partners have developed numerous products and methods that addressed the difficulties of collecting part identification in aerospace operations. These products enabled the marking of Data Matrix symbols in virtually every situation and the reading of symbols at great distances, severe angles, under paint and in the dark without a light. Even unmarkable delicate parts now have a process to apply a chemical mixture, recently trademarked as Nanocodes, that can be converted to Data Matrix information through software. The accompanying intellectual property is protected by ten patents, several of which are licensed. Direct marking Data Matrix on NASA parts dramatically decreases data entry errors and the number of parts that go through their life cycle unmarked, two major threats to sound configuration management and flight safety. NASA is said to only have people and stuff with information connecting them. Data Matrix is one of the most significant improvements since Challenger to the safety and reliability of that connection.



Implementation Strategies for Programs & Suppliers

SPACE

UID...Now That's Gonna Leave A Mark

UID A eBusiness Forum Arlington, VA February 26, 2008

Fred Schramm

National Aeronautics and Space Administration


> Marshall Space Flight Center



NASA Thanks Those Who

Protect Our Freedom

Global, Homeland, Hometown





While We Tip Our Wings
Goodbye
To Each Other



And Is the Recurre Horse









Implementation Strategies for Programs & Suppliers

Today's World....More Things Being Tracked

.....For Safety

.....And Because We Can



United States Department of Agriculture

NEW NATIONAL ANIMAL ID SYSTEM WILL GUARD AGAINST MAD COW DISEASE AND ANIMAL HEALTH PROBLEMS









Implementation Strategies for Programs & Suppliers

Different Organizations Track Products for Different Reasons

Readiness VID






















Implementation Strategies for Programs & Suppliers

UID... Tracking for a Reason









Implementation Strategies for Programs & Suppliers

Requirements to Track Products Start with Identification



Part Numbers and Serial Numbers Identify One Part From the Other


CAGE Numbers Identify One Supplier from the Other





Implementation Strategies for Programs & Suppliers

But For Parts with Part Numbers... Automatic Identification Choices



MIL STD 130... Certain Allowances for Parts That See the Easy Life

Bar Code Labels Are Cheap...and Work in Some Applications

Tags and Nameplates
Work in Some
Applications


If space is limited or permanence required...Use 2D






Implementation Strategies for Programs & Suppliers

UID... Direct Part Marking



NASA's Primary Emphasis
....Item-Level Traceability Requires UID
....MIL STD 130/NASA STD 6002C
use same symbol format




Left: 10x10 matrix symbol on the head of a straight pin

Know the PedigreeKnow who made it

....Know who marked itKnow who stands behind it

Below: 10x10 matrix symbol on the side of a turbine blade

A properly engineered and applied mark is a: FLAWLESS IMPERFECTION





Implementation Strategies for Programs & Suppliers

http://maptis.nasa.gov/NASA_MP_COP.html



NASA Materials and Processes Community Of Practice

Registered User Login

WARNING

This is a United States Government computer. This system is for the use of authorized users only. By accessing and using the computer system you are consenting to system monitoring, including the monitoring of keystrokes. Unauthorized use of, or access to this computer system may subject you to disciplinary action and criminal prosecution.

To apply for access to this site, click here: Application for Access


System Requirements: Internet Explorer 6.0 or Netscape 7.1 on a Windows XP operating system with a resolution no less than 1024x768.



Implementation Strategies for Programs & Suppliers

UID... Direct Part Marking and Reading







Implementation Strategies for Programs & Suppliers

14

DYTHOUS GOVERED

Items That Can Not Be Marked at All

None of Them Are As Hard As Breaking the Sound Barrier



And You Do That Every Day




Implementation Strategies for Programs & Suppliers

UID...From Easy to Difficult





Engine Block...
No Contrast Data Cells






Implementation Strategies for Programs & Suppliers

Materials-International Space Station-Experiment 1 & 2


MISSE- Tested for Long Term Space Exposure



The Plan Was To Expose The Samples to Space For A Year...But the test concluded 4 years later










Implementation Strategies for Programs & Suppliers



MISSE 1 & 2

MISSE 3 & 4

All Samples Came Back and Were Analyzed Results Will Be In NASA STD 6002 in 2010



Implementation Strategies for Programs & Suppliers

Tests for Long Term Exposure to Space (MISSE 6)

Carries laser bonded Data Matrix samples

Carries Nanocodes[™] in various coatings and one dot peened into coupon

Carries one paper RFID tag and one encased in plastic—attached to face of tray


Scheduled to launch aboard Endeavor, early 2008





Implementation Strategies for Programs & Suppliers

Tests for Repeated Exposure to Extremes



Thermal
Protection
System-3 Marked
Shuttle Tile
Remain

19 Times in Space on OV-103 (Discovery)





Looking Good And Readable


Ares I and V Launch Vehicles Built on Proven Systems


Ares I
Crew Launch
Vehicle


New Problems


New Opportunities

Marshall launching a new era of space exploration
















Implementation Strategies for Programs & Suppliers


Space Suits

May Even Be


More Functional

And

More Fashionable









Implementation Strategies for Programs & Suppliers


Jungle, Sand or Space... UID Presents Some Direct Part Marking and Reading Problems





Implementation Strategies for Programs & Suppliers

Distance Reading Remedy... Space Station Technology Spinoff





Implementation Strategies for Programs & Suppliers

Painted Part Remedy... Space Shuttle Technology Spinoff


Mark survived 24+ months of Coast Guard duty




Magnetic Scanner

Mark decoded through 6 layers of paint










Implementation Strategies for Programs & Suppliers

Visible Mark Protection Remedy... Ares I Infusion Spinoff





Molybdenum Water based Ionic Film Clear 1.5 microns Non toxic Chemical bond 1.1 microns on metal **Dry Film Lubricant** 20 um

Mo_c04_1000xm.tif




Implementation Strategies for Programs & Suppliers


UID...Encounters the Unmarkable Part

Nanocodes


TM

= the mark (a chemical bar code)









Matches to the Supplier Code

Software converts to ASCII



Implementation Strategies for Programs & Suppliers


UID...Encounters the Unmarkable Part

Nanocodes TM

How would you do it???

Bar code a cultured pearl... on the seed... without a surface change... plant it in an oyster

Then read the bar code two years later when the pearl is formed....






Implementation Strategies for Programs & Suppliers

Nanocodes TM

How would you bar code a carpet fiber ???






Implementation Strategies for Programs & Suppliers

How does an OEM prove that the part that failed was not made by the OEM?

The Nanocode[™] is read to authenticate the product

Converted format is transparent to IT systems


Elemental tag pattern equals internal UID





Implementation Strategies for Programs & Suppliers

Validation and Authentication Fully Integrated





Implementation Strategies for Programs & Suppliers

UID...A System That Starts With Part Identification



And Succeeds
When People
Work
Together

